

October 9, 2014

Regina Hoffman 1001 Blunt Parkway Charles City, IA 50616 Cell: 641-330-9776

U.S. Department of Transportation Docket Management System 1200 New Jersey Ave., SE Washington, DC 20590

Re: Exemption Request under Section 333 of the FAA Reform Act and Part 11 of the Federal Aviation Regulations

Dear Madam or Sir,

Pursuant to Section 333 of the FAA Modernization and Reform Act of 2012 (the "Reform Act") and 14 C.F.R. Part 11, Viafield ("Viafield"), member-owned agricultural cooperative, seeks an exemption from the Federal Aviation Regulations ("FARs") listed below:

- 14 C.F.R. Part 21
- 14 C.F.R. 45.23
- 14 C.F.R. 45.29
- 14 C.F.R. 61.23
- 14 C.F.R. 61.3
- 14 C.F.R. 61.113(a) & (b)
- 14 C.F.R. 61.133(a)
- 14 C.F.R. 91.7(a)
- 14 C.F.R. 91.9
- 14 C.F.R. 91.109(a)
- 14 C.F.R. 91.119
- 14 C.F.R. 91.121
- 14 C.F.R. 91.151(a)
- 14 C.F.R. 91.203
- 14 CFR Subpart E (91.401 91.417)

The requested exemption would authorize unmanned aircraft operations using the eBee for precision agriculture applications by Viafield, a cooperative, in the United States. These operations will be subject to strict operating requirements and conditions defined by the safety code of the Academy of Model Aeronautics (see Annex B), in order to ensure at least an equivalent level of safety to currently authorized operations using manned aircrafts.

Viafield is a member-owned agricultural cooperative with 18 locations serving northern lowa and southern Minnesota. Their team of employees is specialized to meet the needs of the members of the cooperative and provide expert advice on products, services and trends within Agronomy, Energy, Feed and Grain. As a local business, Viafield employs well over 150 individuals who are

rooted in their cooperative and community. Viafield promises to provide innovative products and dependable service to help its members exceed their potential.

Unmanned aerial technology is becoming a desirable tool in the agricultural industry. As growers are caring for more and more acres, field scouting by foot is becoming less efficient. It is nearly impossible, nor practical, for a person to scout an entire field by walking. Aerial scouting technology allows an agronomist to see a large field all at once and allows for more efficient and effective recommendations and decision-making. The unmanned aspect of aerial technology eliminates the endangerment of human life by low and slow flight and allows a safe and cost-effective acquisition of close-up aerial images.

Given the technical specifications of the eBee, especially its very light weight, and the type of operations, including flights above crops, Viafield believes it is relevant to use the Academy of Model Aeronautics (AMA) rules to meet the required level of safety of future operations with the eBee. Indeed, the AMA has a proven track record in supervising operations conducted by operators using remote controlled aircrafts and provides the most relevant expertise in terms of providing safety guidelines for operators using ultra-light remote controlled aircrafts.

The eBee will be operated by an individual who fulfills the following requirements:

- Is a registered member of the AMA;
- Has passed SenseFly's training program for the eBee; Viafield requests the FAA treat the
  eBee training program as proprietary under 14 C.F.R. 11.35(b) and not include this document
  in the public docket.
- Has completed an AMA-affiliated small unmanned aircraft systems (UAS) education and training program and has achieved an AMA UAS endorsement, or has successfully completed a small UAS education and training program provided by any FAA qualified entity.
- Has a valid driver's license

Under this exemption, the operator would agree, if requested, to contact the FAA in order to provide the FAA with the details of the related missions and provide assurance that training and maintenance requirements are met.

#### 1. CHARACTERISTICS OF THE AIRCRAFT

The eBee is a small (37.8-inch wingspan) and ultra-light (maximum take-off weight of 1.7 pounds) platform made of flexible foam that performs precision aerial mapping missions with an on-board GPS and related flight management software (eMotion) that allows the operator to safely and efficiently plan a mission in 3D and monitor it in real-time. Because of the embedded camera protected by a foam envelope, the eBee can take a collection of high-definition, still images that can later be used to generate maps and contour lines of the surveyed area.

The four main characteristics of the eBee include:

# a. Very light weight

The eBee is so light that the operator can launch it by hand and let it land on almost any surface without requiring a parachute or landing net (belly land). Its low impact energy (38 J in case of a controlled emergency landing) also significantly reduces the risk of hazardous situations. Finally, the wings of the eBee are detachable and made of flexible foam with no hard or sharp edges and almost no internal strengthening structure.

#### b. Electric-powered

The eBee is electric powered. Brushless engine technology makes it silent and reliable. The propeller is attached with a rubber band to the body of the plane so that it can easily flex away in case of contact with any object.

# c. Semi-automatic flight

The artificial intelligence incorporated within the eBee autopilot system continuously analyzes data from the Inertial Measurement Unit and the onboard GPS and takes care of all the aspects of the flight under the supervision of the operator.

# d. Option for Manual control

Additionally, the eBee provides an override capability that allows the operator to take manual actions during the flight (Go to Home, Go Land, Hold and Resume the mission) and also suspend automated operations and take manual control of the aircraft with the remote controller provided with the system, should it become necessary to respond emergent circumstances.

#### 2. APPLICATIONS AND ADDED VALUE OF THE EBEE

Viafield intends to plan and implement an aerial agricultural program using precision agriculture techniques and senseFly's eBee in order to assist its members in management decision-making and to increase production and crop-scouting efficiency.

Using the eBee's sensor technology, the agronomists at Viafield will be able to collect near infrared (NIR) and/or multispectral images. Once the entire field is flown, collected images can be "stitched" together in a software program to make a complete infrared or multispectral map of a field. Using specific mathematical equations within the Pix4D program, different crop stresses and production factors can be discovered.

The eBee will be used to determine several factors, including but not limited to:

- Nutrient deficiencies
- Weed pressure and type
- Presence and onset of disease
- Insect presence and pressure
- Weather damage (hail/wind)
- Soil erosion
- Tile line mapping
- Plant population counts/estimates
- Yield estimates
- Soil types
- Location of escaped livestock

Often times, diseases or insects begin deteriorating plant health within one part of a field and spread over time. If an agronomist is only able to see a few areas of a field, the chances of overlooking a major problem are incredibly high, but if the entire field can be depicted from the eBee, plant health issues can be fixed before they expand, reducing yield loss.

Every stressful situation that a plant encounters reduces crop yield. At Viafield, agronomists strive to eliminate and reduce plant stress by implementing crop protection programs to make their customers more profitable. By using *real-time* aerial imagery to see the onset and occurrence of plant stresses, Viafield can better help their customers maintain a high yield (more production),

and in turn, high profitability, in a safe and efficient manner.

The end goal at Viafield is to be able to use the maps produced by the eBee to create variablerate prescriptions using an agronomic mapping program. The prescriptions can then be loaded into one of the cooperative's fertilizer spreaders so that fertilizer is applied to the correct areas at the proper rate.

Annex C describes applications and reasoning in more detail. Viafield requests the FAA treat
the eBee training program and Annex C as proprietary under 14 C.F.R. 11.35(b) and not
include this document in the public docket.

Overall, UAV technology offers a substantial economic benefit to the agricultural industry. The eBee would save Viafield's agronomists a lot of time scouting fields and give them more face-to-face time with the members of the cooperative. Not only will time be saved, but capital from driving around fields, as everything can be scouted from one spot. Because the eBee images are geo-referenced, agronomists can pinpoint a problem area on a map and then walk or drive directly to that area to see what issues are happening and potentially correct them.

Along with efficiency, UAV technology offers the potential for maintaining high yields. This is not only important from a financial standpoint for growers, but from a production standpoint. With the world population continuously increasing, it is essential that farmers be able to maintain higher yields in order to continue to feed a hungry planet and to keep up with the world demand for high quality food and fuel products.

If Viafield can use the eBee technology to scout fields, they will be offering their members a significant advantage to maintain crop health and maintain high yields in order to meet consumer demand and make a living. Several countries around the world are offering this technology to farmers. UAVs have successfully and safely scouted fields in Europe and China and even applied aerial application. Viafield is hoping to stay competitive in the agricultural industry and be able to implement UAV technology within the company in order to better serve the owner-members of the cooperative.

#### 3. APPLICABLE LEGAL STANDARD UNDER SECTION 333

#### a. Airworthiness assessment of the eBee

Viafield notes that the airworthiness of the eBee has already been demonstrated for different projects in the United States, involving state/federal agencies or universities (including New Mexico State University: <a href="https://newscenter.nmsu.edu/Articles/view/10208/nmsu-uas-flight-test-center-conducts-ebee-airworthiness-assessment">https://newscenter.nmsu.edu/Articles/view/10208/nmsu-uas-flight-test-center-conducts-ebee-airworthiness-assessment</a>, and the USACE New Orleans, who coordinated with the Department of Army and the FAA to obtain all authorizations required in order to operate the eBee UAS for levee system monitoring, documentation of construction progress, and extensive oblique photography of USACE structures & activities, and others).

Moreover, Viafield notes that SenseFly obtained flight approvals for the eBee (delivered by national civil aviation authorities) in many countries, among others:

- Switzerland (flight approval for Visual Line of Sight operations)
- Canada (flight approval for Visual Line of Sight operations)
- Australia (flight approval for Visual Line of Sight operations)
- France (flight approval for Extended Visual Line of Sight operations)
- Germany (flight approval for Visual Line of Sight operations)
- United Kingdom (flight approval for Visual Line of Sight operations)

- Norway (flight approval for Visual Line of Sight operations)
- Sweden (flight approval for Visual Line of Sight operations)
- Denmark (flight approval for Visual Line of Sight operations)

# b. Operating Conditions

Grant of the exemption to Viafield for use of the eBee will be subject to the following operating conditions, based on the operating conditions set forth by the Academy of Model Aeronautics (see Annex B). The main restrictions are summarized below:

- Operations to be conducted over private, controlled-access, or public property where approved (Viafield requests the FAA treat the Viafield sUAS Scouting Announcement Form as proprietary under 14 C.F.R. 11.35(b) and not include this document in the public docket);
- Permission from the land owner/authority required before commencing any flight (Viafield requests the FAA treat the Viafield sUAS Scouting Permission Form as proprietary under 14 C.F.R. 11.35(b) and not include this document in the public docket);
- Operations over congested areas shall be avoided:
- Operations must not interfere with manned aircraft operations, must yield the right of way to manned aircraft, and operators must See & Avoid other aircraft and obstacles at all times
- Operations limited to Visual Flight Rules Meteorological Conditions (VMC) and daylight hours
- Aircraft operations must remain within Visual Line of Sight (VLOS) and will be visually monitored at all times;
- Visual Line of Sight operations guaranteed with a GPS geo-fence around operator of 0.15 miles
- Flight ceiling pre-programed at 400 feet;
- All operations conducted within 5 miles from an airport shall only be initiated after verbal coordination with the airport authority, or air traffic control when a control tower is present at the airport;
- All operations shall comply with required permissions and permits established by territorial, state, county or city jurisdictions; including local law enforcement, fire, or other appropriate governmental agencies.
- The eBee operations will be compliant with existing safety procedures inherent to the activities of the related company.

A large percentage of the land serviced by Viafield is in isolated, rural, nonresidential areas. Before a field is flown, Viafield will request written permission from each grower. Residents within the vicinity of each field will also be notified of a flight and educated on the fact that Viafield is simply scouting crop fields by air. With the geo-fence incorporated within the software, Viafield will avoid flying over houses and house-yards as much as reasonably possible. The flight ceiling will be preprogrammed at 400 feet so as to ensure the aircraft will not fly over the height specified by the AMA. By staying below this level, the eBee should not interfere with manned aircraft operations

Viafield takes pride in providing a safe working environment for its employees and members and currently has excellent safety procedures in place, as well as an outstanding safety director within the company.

#### c. Operator Requirements

The eBee is an ultra-light UAV platform made of flexible foam with no sharp or hard edges characterized by a high level of pre-programmed controls and various built-in technical capabilities (programming of a geo-fence, automatic wind detection) that prevent the operator from doing a mission outside of the operating limits. All flights are pre-programmed with GPS guidance and do not require human intervention; nevertheless human override is possible by clicking on one of the multiple "action" buttons or by using the remote controller provided with each eBee system. In the

case of unplanned events, either the autopilot reacts immediately or the operator can choose between different pre-programmed or manual actions. Those procedures include a Flight Termination System (emergency landing procedure, triggered by the autopilot or the operator in charge: given its very light weight, the eBee will initiate a gliding approach to the ground at very low speed around the current location). Moreover, the kinetic energy of the aircraft is 60 J in-flight at cruise speed. In comparison, the kinetic energy of a football is about 110 J when thrown by hand

Given these safety features recognized by the U.S. Army Corps of Engineers and the national aviation authority of several countries, Viafield requests an exemption from the airworthiness certification requirements in Part 21 and the concomitant requirements in 14 C.F.R. 91.7(a)) and 91.203 to operate an airworthy aircraft. Instead, operators of the eBee will:

- Have completed an AMA affiliated small UAS education and training program and achieved an AMA UAS endorsement, or have successfully completed a small UAS education and training program provided by any FAA qualified entity, and;
- Have passed SenseFly's training program for operation of the UAS. The manufacturer's training program for operators has been already satisfactorily reviewed through the Application for Airworthiness Qualification Level (AQL) 3 Airworthiness Release (AWR).

Viafield also seeks an exemption from certain requirements in Parts 45 and 91 that are impractical as well as unnecessary for UAS operations. Please see Annex A for a detailed explanation of each regulation from which an exemption is sought and the equivalent level of safety showing.

#### 4. CONCLUSION

Viafield, in association with SenseFly and the Academy of Model Aeronautics organization, who has a deep and well-known experience in terms of safe integration of remote controlled aircrafts in the National airspace for low-level operations, provides here adequate justification for the grant of the requested exemption allowing safe precision agricultural operations of the eBee in the National Airspace System.

The value that the eBee could bring to the agricultural industry is invaluable. It would bring several efficiency and production benefits to farming operations and allow Viafield to provide the owner-members of the cooperative with outstanding service in order to help them exceed their potential. If the population is expected to continually increase, then it is essential for agricultural production to escalate as well. Allowing Viafield to utilize the eBee in their operations in a safe manner in accordance with AMA guidelines would not only make sense economically, but would also in a matter of sustainability.

Viafield, a cooperative, offers in this Exemption a pragmatic approach to allow the efficient operation of ultra-light UAVs pursuant to FAA, AMA, and SenseFly safety requirements and conditions.

Yours sincerely,

Kent Appler Viafield Chief Executive Officer Regina Hoffman Viafield Agronomy Account Relationship Manager

# ANNEX A: EXEMPTION REQUEST AND EQUIVALENT LEVEL OF SAFETY SHOWINGS UNDER APPLICABLE RULES SUBJECT TO EXEMPTION

Viafield requests an exemption from the following regulations as well as any additional regulations that may technically apply to the operation of the eBee:

# 14 C.F.R. Part 21, Subpart H: Airworthiness Certificates 14 CFR § 91.203(a)(1)

Section 91.203 requires all civil aircraft to have a certificate of airworthiness. Part 21, Subpart H, entitled Airworthiness Certificates, establishes the procedural requirements for the issuance of airworthiness certificates as required by FAR § 91.203(a). Given the size of the eBee, its very light weight (the maximum take-off weight is 1.7 pounds) and the limited operating area associated with its utilization, it is unnecessary to go through the certificate of airworthiness process under Part 21 Subpart H in order to achieve or exceed current safety levels.

Such an exemption meets the requirements of an equivalent level of safety under Part 11 and Section 333 of the Reform Act. The Federal Aviation Act and Section 333 of the Reform Act both authorize the FAA to exempt aircraft from the requirement for an airworthiness certificate, upon consideration of the size, weight, speed, operational capability, and proximity to airports and populated areas of the UAS involved. An analysis of these different criteria demonstrates that the eBee operated without an airworthiness certificate, under the conditions proposed in that exemption, will be at least as safe, or safer, than a conventional aircraft with an airworthiness certificate. A proprietary risk assessment for operations with the eBee, which demonstrates that assertion, is also being submitted to the FAA as part of this application. Viafield requests the FAA treat the eBee risk assessment as proprietary under 14 C.F.R. 11.35(b) and not include this document in the public docket.

#### 14 C.F.R. § 45.23 & 14 C.F.R. § 45.29: Display of marks; size of marks

These regulations provide that each aircraft must display "N" and the aircraft's registration number in letters at least 3 inches high. Additionally, the aircraft must display the word "EXPERIMENTAL" in letters at least 2 inches high near the entrance to the cabin, cockpit, or pilot station.

Given the size of the eBee (wingspan of 37.8 inches), this requirement is impossible to match.

The equivalent level of safety will be achieved by having the upper part of the eBee stick with a copy of the AMA membership of the operator in charge. The AMA agrees to provide 2 original copies of the AMA license to every eBee operator.

#### 14. CFR §61.23 Medical certificates: Requirement and duration

Regulations provide that a person:

- (1) Must hold a first-class medical certificate:
  - When exercising the pilot-in-command privileges of an airline transport pilot certificate;
  - When exercising the second-in-command privileges of an airline transport pilot certificate in

- a flag or supplemental operation in part 121 of this chapter that requires three or more pilots; or
- When serving as a required pilot flight crew member in an operation conducted under part 121 of this chapter if the pilot has reached his or her 60th birthday.
- (2) Must hold at least a second class medical certificate when exercising:
  - Second-in-command privileges of an airline transport pilot certificate in part 121 of this chapter (other than operations specified in paragraph (a)(1)(ii) of this section); or
  - Privileges of a commercial pilot certificate

Given the size of the eBee, its structure, the limited flight area, and the safety features integrated in the autopilot (among others the Flight Termination System), SenseFly believes that an Equivalent Level of Safety can be reached if the operator has a valid driver's license.

# 14 C.F.R. § 61.3: Requirements for certificates, ratings and authorizations 14 C.F.R. § 61.113(a) & (b); 61.133(a): Private Pilot Privileges and Limitations; Pilot in Command; Commercial Pilot Privileges and Limitations

The regulation provide that no person may serve as a required pilot flight crewmember of a civil aircraft of the United States, unless that person:

(1) Has a pilot certificate or special purpose pilot authorization issued under this part in that person's physical possession or readily accessible in the aircraft when exercising the privileges of that pilot certificate or authorization. However, when the aircraft is operated within a foreign country, a pilot license issued by that country may be used.

The regulation provides also that no person that holds a private pilot certificate may act as pilot in command of an aircraft for compensation or hire. Subparagraph (b) allows a private pilot to act as pilot in command of an aircraft in connection with any business or employment if:

- (1) The flight is only incidental to that business or employment;
- (2) The aircraft does not carry passengers or property for compensation or hire.

Given the safety features of the eBee and the fact that the missions are pre-programmed and monitored in real-time with a specific flight management software (eMotion), SenseFly proposes that operators of the eBee should not be required to hold a commercial or private pilot certification. Instead, operators should be required to:

- Have completed an AMA affiliated small unmanned aircraft systems education and training program and achieved an AMA UAS endorsement, or have successfully completed a small UAS education and training program provided by any FAA qualified entity, and;
- Have passed SenseFly's training program for operation of the UAS. The manufacturer's training program for operators has been already satisfactorily reviewed through the Application for Airworthiness Qualification Level (AQL) 3 Airworthiness Release (AWR).

The equivalent level of safety will be achieved by having an operator trained by the AMA (or any FAA qualified entity) and SenseFly, and using the integrated features of the aircraft to maintain a high level of safety during the different missions.

#### 14 C.F.R. § 91.7(a): Civil aircraft airworthiness

This regulation requires that no person may operate a civil aircraft unless it is in airworthy condition. Should the exemption be granted allowing operation of the eBee without an airworthiness certificate, no standard will exist for airworthiness of the eBee. Given the size of the aircraft and the previous

airworthiness assessments given to the eBee, among others, include:

- New Mexico State University: https://newscenter.nmsu.edu/Articles/view/10208/nmsu-uasflight-test-center-conducts-ebee-airworthiness-assessment
- USACE New Orleans, who coordinated with the Department of Army and the FAA to obtain all authorizations required in order to operate the eBee UAS for levee system monitoring, documentation of construction progress, and extensive oblique photography of USACE structures & activities

An equivalent level of safety will be achieved by insuring compliance with the eBee user manual prior to each flight. Viafield requests the FAA treat the eBee user manual as proprietary under 14 C.F.R. 11.35(b) and not include this document in the public docket.

#### 14 C.F.R. § 91.9: Civil aircraft flight manual, marking, and placard requirements.

This regulation provides that no person may operate an aircraft unless a current, approved flight manual is in the aircraft. We assume that the intent of this requirement is to ensure that flight manual information is available to the aircrew while operating the aircraft. We request an exemption to this requirement since the aircraft is not only too small to carry documentation, but the documentation would not be available to the crew, as there is no flight crew on board.

The equivalent level of safety will be achieved by keeping a hard copy of the eBee user manual in the eBee transport box that will be within reach of the operator at all times.

#### 14 C.F.R. § 91.109(a) & 91.319(a)(1): Flight Instruction

The regulation provides that "No person may operate a civil aircraft that is being used for flight instruction unless that aircraft has fully functioning dual controls."

Flight instruction will be accomplished through an elaborated training program, using first the simulation mode of the flight management software eMotion. The equivalent level of safety during the in-flight training will be achieved by the manufacturer or affiliate providing the training as described in the eBee training program and through the use of experienced and qualified instructors familiar with the eBee and also members of the AMA.

## 14 CFR § 91.119: Minimum Safe Altitudes

The regulation provides that over sparsely populated areas, the aircraft cannot be operated closer than 500 feet to any person, vessel, vehicle, or structure. Since the eBee will be operating at a maximum of 400 feet AGL, SenseFly cannot comply with this requirement.

The equivalent level of safety will be achieved because the eBee will only fly over private property with the permission of the landowner. Before every flight, the operator will define a working area radius and a flight area ceiling, preventing the eBee to go beyond the flight area. The landowner and the persons who may be on the ground in the flight area will be briefed of the expected route of flight and the associated risks to persons and property on the ground. Due to the small size of the eBee, the material with which the eBee is built and its specific safety procedures (among others ground detection), the hazard to persons, vessels, vehicles, and structures is not comparable to manned aircraft and should be considered in granting the exemption. Moreover, the aircraft will not be operated over congested areas or over any open-air assembly of persons.

#### 14 CFR 91.121 – Altimeter settings

This section requires that each person operating an aircraft shall maintain the cruising altitude or flight level of that aircraft, as the case may be, by reference to an altimeter that is set, when operating below 18,000 feet MSL to:

- The current reported altimeter setting of a station along the route and within 100 nautical miles of the aircraft;
- If there is no station within the area prescribed in paragraph (a)(1)(i) of this section, the current reported altimeter setting of an appropriate available station;
- In the case of an aircraft not equipped with a radio, the elevation of the departure airport or an appropriate altimeter setting available before departure.

To provide an equivalent level of safety, the eBee autopilot calculates the reference altitude (ground level) with the on-board GPS during the pre-flight tests. The GPS and barometer data are then used to calculate the altitude in-flight.

## 14 C.F.R. § 91.151(a): Fuel Requirements for Flight in VFR Conditions

The regulation provides that no person may begin a flight in an airplane under day-VFR conditions unless there is enough fuel to fly to the first point of intended landing and to fly after that for at least 30 minutes.

Given the area of operation for the eBee, Viafield believes that an equivalent level of safety is already achieved with the specific procedure preventing the eBee to accept a take-off order if the battery level is below a given value. Moreover, SenseFly has integrated "low" and "critical" battery level warnings and implemented a "return to Home" (and "Go Land") actions in these situations.

# 14 C.F.R. § 91.203 (a) & (b): Carrying Civil Aircraft Certification and Registration

This regulation provides as follows:

- No person may operate a civil aircraft unless it has an appropriate and current airworthiness certificate.
- No person may operate a civil aircraft unless the airworthiness certificate required by paragraph (a) of this section or a special flight authorization issued under §91.715 is displayed at the cabin or cockpit entrance so that it is legible to passengers or crew.

The eBee weighs only 1.7 pounds (max take-off weight). As such, there is no ability or place to carry certification and registration documents or to display them on the UAS. In addition, there is no pilot on board the aircraft.

To obtain an equivalent level of safety and meet the intent of 91.203, we propose that documents deemed appropriate for this aircraft by the FAA will be co-located with the operator at the ground control station in the eBee box and available for inspection upon request. In order to identify the aircraft, we propose that a copy of the AMA membership of the operator will be permanently affixed to the eBee on the upper side of the body.

#### 14 CFR Subpart E (91.401 - 91.417) - Maintenance, Preventive Maintenance, and Alterations

The regulation provides that the operator is primarily responsible for maintaining the aircraft in an airworthy condition, including compliance with Parts 39 and 43. Paragraphs 91.407 and 91.409 require the aircraft to be "approved for return to service by a person authorized under 43.7" after maintenance and inspection. Section 91.409 requires an annual inspection for the issuance of an airworthiness certificate. Section 91.417 requires the owner or operator to keep records showing certain maintenance work that has been accomplished by certificated mechanics, under Part 43, or

licensed pilots and records of approval of the aircraft for return to service.

SenseFly proposes that the maintenance of the eBee will be accomplished by the owner or the operator according to the eBee user manual. An equivalent level of safety will be achieved because the eBee is small in size, it is not a complex mechanical device and does carry any external payload. Moreover, the operator is the person most familiar with the aircraft and is best suited to maintain the aircraft in an airworthy condition and to ensure an equivalent level of safety. Finally, before every flight, the eBee automatically runs a sequence of pre-flight tests to make sure that every sensor and every critical part is operating properly. If a problem is detected, the eBee will not be able to be switched-on and a message error is displayed on the main screen of eMotion. The owner or the operator can then refer to the eBee user manual to troubleshoot this issue. Several parts of the eBee are easily interchangeable (propellers, wings), which allows the operator to make sure the wings and propulsion system are always airworthy when a mission is initiated.

#### ANNEX B: ACADEMY OF MODEL AERONAUTICS SAFETY REQUIREMENTS

http://www.modelaircraft.org/files/105.pdf

http://www.modelaircraft.org/files/540-D.pdf

http://www.modelaircraft.org/files/560.pdf